

# INDEX MAPS.

## T. 8N, R. 3E. 2<sup>nd</sup> Mer.

	318	318	318-319	317-319	317-319	317-319						
320	6	326	5	331	4	335	3	340	2	347	1	317
	326		330		335		340		346		346	
321	7	325	8	330	9	335	10	339	11	345	12	316
	326		330		334		339		345		345	
321	18	325	17	329	16	334	15	338	14	344	13	316
	324		329		334		338		343		344	
320	19	324	20	328	21	333	22	337	23	343	24	316
	323		327-328		333		337		342		343	
320	30	323	29	328	28	332	27	337	26	342	25	315
	323		327		331		336		341		341	
320	31	322	32	327	33	332	34	336	35	340	36	315
	313		313		313		314		314		314	

## T. 9N, R. 3E. 2<sup>nd</sup> Mer.

	355		354		354		354		354		353	
357	6	381	5	375	4	370	3	366	2	361	1	353
	381		381		374		370		365		361	
356	7	380	8	374	9	370	10	365	11	360	12	352
	380		379		374		369		364		360	
356	18	379	17	373	16	369	15	364	14	359	13	352
	379		378		373		368		363		359	
356	19	378	20	372	21	368	22	363	23	359	24	352
	377		377		372		367		363		358	
355	30	376	29	372	28	367	27	362	26	358	25	351
	376		376		371		367		362		357	
355	31	375	32	371	33	366	34	361	35	357	36	351
	349		349-350		349-350		349-350		349-351		349-351	

(P The figures on the lines refer to the page.

347

Township N. 9 North, Range N. 3 E, T. Mer. Indiana

South Boundary

Nest On Rand<sup>m</sup> S. boundary of Sec. 36, T<sup>9</sup>N. R<sup>3</sup>E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
50.50 a Branch 10 lks. wide runs South  
80.00 Let temp<sup>y</sup>. post for Cor. to Sec. 35 & 36, T<sup>9</sup>N. R<sup>3</sup>E.  
May 31<sup>st</sup> 1819

---

Nest On Rand<sup>m</sup> S. boundary of Sec. 35, T<sup>9</sup>N. R<sup>3</sup>E.  
10.15 a Brook 6 lks. wide Cr. S. W.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Let temp<sup>y</sup>. post Cor. to Sec. 34 & 35, T<sup>9</sup>N. R<sup>3</sup>E.

---

Nest On Rand<sup>m</sup> S. boundary of Sec. 34, T<sup>9</sup>N. R<sup>3</sup>E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
50.25 a Branch 8 lks. wide Cr. North  
80.00 Let temp<sup>y</sup>. post Cor. to Sec. 33 & 34, T<sup>9</sup>N. R<sup>3</sup>E.

---

Nest On Rand<sup>m</sup> S. boundary of Sec. 33, T<sup>9</sup>N. R<sup>3</sup>E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Let temp<sup>y</sup>. Sec. post Cor. to Sec. 32 & 33, T<sup>9</sup>N. R<sup>3</sup>E.

---

Nest On Rand<sup>m</sup> S. boundary of Sec. 32, T<sup>9</sup>N. R<sup>3</sup>E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Let temp<sup>y</sup>. Sec. post Cor. to Sec. 31 & 32, T<sup>9</sup>N. R<sup>3</sup>E.

---

Nest On Rand<sup>m</sup> S. boundary of Sec. 31, T<sup>9</sup>N. R<sup>3</sup>E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
87.25 Intersected the Corner of T<sup>8</sup>S. R<sup>2</sup>E. & T<sup>9</sup>N. R<sup>3</sup>E.  
June 1<sup>st</sup> 1819

---

East On true line S. boundary of Sec. 31, T<sup>9</sup>N. R<sup>3</sup>E.  
47.25 Let the q<sup>r</sup>. Sec. post, from which  
a W. Oak 15 m. diam. bears N 60 W 17 lks. dist. of

T9 N. R3 E. 2<sup>n</sup>. Mer. Indiana

a cheenut Oak 12 in. dia. bray S55 E 15 lks. dist.  
 87.25 let a post Cor. to Sec. 31 & 32, from which  
 a Sassafras 4 in. dia. bray N79 1/2 E 7 lks. dist. of  
 a Hickory 6 " " " S17 W 11 " "  
 This mile over very rough, broken, brushy land  
 timber Oak, Hickory &c. undg<sup>th</sup> Sassafras & greenbrier

---

East On true line S. boundary of Sec. 32, T9 N. R3 E.  
 40.00 let the g. Sec. post, from which  
 a chest. Oak 27 in. dia. bray S66 1/2 W 4 lks. dist. of  
 a Dogwood 4 " " " S29 E 23 " "  
 80.00 let a post Cor. to Sec. 32 & 33, from which  
 a W. Oak 15 in. dia. bray N87 E 28 lks. dist. of  
 a B. Oak 30 " " " S77 W 65 " "  
 Over knobs, timber Oak, undg<sup>th</sup> Sassafras  
 Hucklebary, greenbrier &c. Stony land

---

East On true line S. boundary of Sec. 33, T9 N. R3 E.  
 40.00 let the g. Sec. post, from which  
 a W. Oak 14 in. dia. bray S89 W 43 lks. dist. of  
 a Do 18 " " " S67 E 49 " "  
 80.00 let a post Cor. to Sec. 33 & 34, from which  
 a W. Oak 15 in. dia. bray N85 1/2 E 6 lks. dist. of  
 a Do 12 " " " S61 W 32 " "  
 Over broken land land, timber Oak, undg<sup>th</sup>  
 Oak, Hucklebary, Sassafras &c.

---

East On true line S. boundary of Sec. 34, T9 N. R3 E.  
 40.00 let the g. Sec. post, from which  
 a W. Oak 18 in. dia. bray S76 E 14 lks. dist. of  
 a Do 15 " " " S81 W 44 " "  
 80.00 let a post Cor. to Sec. 34 & 35, T9 N. R3 E. from  
 which a W. Oak 13 in. dia. bray N47 W 38 lks. dist. of

# T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 15 in. dia. bray S 17<sup>1</sup>/<sub>2</sub> W 30 lks. dist. of  
Over knobs, timber Oak &c. underg<sup>th</sup> green briar,  
Hackberry &c.

East On true line S. boundary of Sec. 35, T9 N. R3 E.

40.00 Set the q. Sec. post, from which

a Gum 8 in. dia. bray S 13<sup>1</sup>/<sub>2</sub> E 14 lks. dist. of

a Hickory 7 " " " S 7<sup>1</sup>/<sub>2</sub> W 18 " "

80.00 Set a post Cor. to Secs. 35 & 36, from which

a W. Oak 20 in. dia. bray N 87<sup>1</sup>/<sub>2</sub> W 12 lks. dist. of

a Do 15 " " " N 50<sup>1</sup>/<sub>2</sub> E 24 " "

Over very broken brushy land, timber Oak,  
underg<sup>th</sup> Dogwood & Sassafras

East On true, line S. boundary of Sec. 36, T9 N. R3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 15 in. dia. bray S 37<sup>1</sup>/<sub>2</sub> E 25 lks. dist. of

a Do 14 " " " N 46<sup>1</sup>/<sub>2</sub> W 31 " "

80.00 to Town Corner. June 14<sup>th</sup>. 1819.

East Boundary var. 7.00' E.

North On E. boundary of Sec. 36, T9 N. R3 E.

23.18 an Oak 18 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 14 in. dia. bray S 43<sup>1</sup>/<sub>2</sub> E 9 lks. dist. of

a Do 7 " " " N 63<sup>1</sup>/<sub>2</sub> W 19 " "

66.50 at Brook 10 lks. wide Course West

80.00 Set a post Cor. to Secs. 25 & 36, from which

a Poplar 20 in. dia. bray N 81<sup>1</sup>/<sub>2</sub> E 9 lks. dist. of

Over very broken land, timber Oak &c. undg<sup>th</sup> Oak &c.

North On E. boundary of Sec. 25, T9 N. R3 E.

7.50 a Brook 15 lks. wide Course West



T8N-R3E, 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia. bear N42 E 20 lks. dist. of  
a Do 8 " " " N41 E 16 " "
- 63.70 a R. Oak 18 in. dia.
- 80.00 Set a post Cor. to Sec. 24 & 25, from which  
an Oak 20 in. dia. bear N83 W 10 lks. dist. of  
a Do - " " " N69 E 20 " "  
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 24, T9N. R3E

- 4.90 a Creek 20 lks. wide Course West
- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Sugar 12 in. dia. bear N84 W 7 lks. dist. of  
a Poplar 36 " " " East 28 " "
- 80.00 Set a post Cor. to Sec. 13 & 24, T9N. R3E, from which  
a W. Oak 24 in. dia. bear N45 W 21 lks. dist. of  
a Hickory 16 " " " N71 E 12 " "  
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 13, T9N. R3E.

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a W. Oak 18 in. dia. bear S7 W 27 lks. dist. of  
a Beech 12 " " " N33 E 32 " "
- 80.00 Set a post Cor. to Sec. 12 & 13, from which  
a Beech 10 in. dia. bear S87 E 18 lks. dist. of  
a Do 14 " " " N70 W 21 " "  
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 12, T9N. R3E.

- 13.50 a Brook 10 lks. wide Course West
- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. dia. bear S73 E 15 lks. dist. of  
a Hognod 4 " " " S3 E 4 " "

T8N R3 E. 2<sup>d</sup> Mer. Indiana

80.00 Set a post Cor. to Sec. 1 of 12, T9N R3 E, from which  
 a Beech 5 in. dia. bray N67 E 7 lks. dist. of  
 a W. Oak 20 " " " S55 E 15 " "  
 Over Mountains, timber Oak &c.

North On E. boundary of Sec. 1, T9N R3 E.

32.70 a Creek 150 lks. wide Cr. West

40.00 Set the g. Sec. post from which  
 a Sugar 18 in. dia. bray S10 E 28 lks. dist. of  
 an Elm 20 " " " N23 W 34 " "

52.60 a Sugar 15 " "

65.00 a Creek 150 lks. wide Cr. S. E.

80.00 Set a post Cor. to Towns 9 of 10 North, Ranges  
 3 & 4 East, from which  
 a Beech 6 in. dia. bray S31 W 14 lks. dist. of  
 a Sugar 10 " " " S48 E 5 " "  
 First 1/2 Mile Over a Mountain - last 1/2 mile  
 Creek bottom low grounds good Soil  
 June 5<sup>th</sup> 1819

North Boundary var. 7° 15' E

West On S. boundary of Sec. 36, T10N R3 E.

1.25 a Creek 80 lks. wide Cr. South

8.00 a Poplar 36 in. dia.

40.00 Set the g. Sec. post, from which  
 a W. Oak 12 in. dia. bray S50 E 18 lks. dist. of  
 a Oak 13 " " " N44 W 31 " "

68.41 a W. Oak 24 " "

80.00 Set a post Cor. to Sec. 35 of 36, T10N R3 E, from which  
 a W. Oak 10 in. dia. bray N62 W 13 lks. dist. of  
 a Hickory 12 " " " S16 E 12 " "  
 Over Mountains, timber Oak &c.

T9N-R3E, 2<sup>d</sup> Mer. Indiana

West On S. boundary of Sec. 35, T10N. R3E.  
23.50 a W. Oak 18 in. dia.

40.00 Let the q. Sec. post, from which  
a Dogwood 6 in. dia. bran N80 E 19 lks. dist  
of an Oak 14 " " " N68 W 5 " "

57.41 an Oak 14 in. dia.

80.00 Let a post Cor. to Sec. 34 & 35, T10N. R3E, from which  
a Beech 8 in. dia. bran N64 E 31 lks. dist. of  
a W. Oak 30 " " " S5 W 29 " "  
Over very broken land, timber Oak &c.

West On S. boundary of Sec. 34, T10N. R3E.

40.00 Let the q. Sec. post, from which  
a W. Oak 12 in. dia. bran S63 E 5 lks. dist. of  
a Do 24 " " " S10 E 3 " "

61.16 a Hickory 20 " "

80.00 Let a post Cor. to Sec. 33 & 34, T10N. R3E, from which  
a Lycamore 24 in. dia. bran S53 E 4 lks. dist. of  
a Hornbeam 8 " " " N64 E 20 " "  
Over Broken land, timber Oak, Beech &c.

West On S. boundary of Sec. 33, T10N. R3E.

0.10 at Brook 15 lks. wide run N.W.

40.00 Let the q. Sec. post, from which  
a Gum 13 in. dia. bran N84 E 22 lks. dist. of  
a Beech - " " " N25 W 23 " "

50.59 a Hickory 30 in. dia.

80.00 Let a post Cor. to Sec. 32 & 33, T10N. R3E, from which  
an Ash 12 in. dia. bran S85 E 28 lks. dist. of  
a Hickory 10 " " " N40 W 16 " "  
Over broken land, timber Oak, Hickory &c

West On S. boundary of Sec. 32, T10N. R3E.



T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

- 8.62 a Poplar 30 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bear S 77° W 19 lbs. dist. of  
 a Gum 16 " " " N 59° E 12 " "  
 80.00 At a post Cor. to Sec. 31 & 32, T10 N. R3 E, from which  
 an Oak 20 in. dia. bear S 39° E 27 lbs. dist. of  
 a Do 20 " " " N 44° E 12 " "  
 Over very broken land, Oak &c.

- Nest On S. boundary of Sec. 31, T10 N. R3 E.  
 40.00 At the q. Sec. post, from which  
 a Gum 6 in. dia. bear N 82° W 14 lbs. dist. of  
 a W. Oak 12 " " " S 82° E 19 " "  
 73.14 Intersected the Range line between Ranges  
 2 & 3 East, Towns 9 & 10 North  
 Over broken land, timber Oak &c.  
 June 21<sup>st</sup> 1819.

- Nest Boundary var. 6° 45' E.  
 North On E. boundary of Sec. 36, T9 N. R2 E.  
 40.00 At the q. Sec. post, from which  
 a Beech 9 in. dia. bear S 7° E 29 lbs. dist. of  
 a Hickory 9 " " " N 34° W 11 " "  
 75.50 a Brook 15 lbs. wide Course N.W.  
 80.00 At a post Cor. to Sec. 25 & 36, T9 N. R2 E, from which  
 a W. Oak 18 in. dia. bear S 45° W 9 lbs. dist. of  
 a Do 18 " " " N 6° E 40 " "  
 Over broken land timber Oak &c.

- North On E. boundary of Sec. 25, T9 N. R2 E.  
 34.90 a Brook 15 lbs. wide Course N.W.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bear S 5° E 8 lbs. dist. of



T9N R3E, 2<sup>d</sup>. Mer. Indiana

a W. Oak 20 in. diam. bears S 31° W 29 lks. dist. of  
 69.70 at Brook 10 lks. wide Course —  
 80.00 Set a post Cor. to Sec. 24 & 25, T9N. R2E, from which  
 a Hickory 12 in. diam. bears S 32° W 18 lks. dist. of  
 a Beech 10 " " " N 39° E 28 " "  
 Over broken land timber Oak &c.

---

North On E. boundary of Sec. 24, T9N. R2E  
 18.70 a Creek 150 lks. wide Course W.  
 22.50 Same 150 " " " S. E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 7 in. diam. bears S 7° W 3 lks. dist. of  
 a Sugar 6 " " " S 66° E 4 " "  
 46.50 a Creek 150 lks. wide Course S. W.  
 80.00 Set a post Cor. to Sec. 13 & 24, T9N. R2E, from which  
 a W. Oak 8 in. diam. bears S 35° E. 12 lks. dist. of  
 a Do 9 " " " N 42° W 5 " "  
 Over Creek bottom, timber Oak &c.

---

North On E. boundary of Sec. 13, T9N. R2E.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 13 in. diam. bears S 7° W 25 lks. dist. of  
 an Ironwood 6 " " " S 65° W 10 " "  
 80.00 Set a post Cor. to Sec. 12 & 13, T9N. R2E, from which  
 a Beech 10 in. diam. bears S 38° E 24 lks. dist. of  
 a W. Oak 8 " " " N 4° W 15 " "  
 Over broken brushy land

---

North On E. boundary of Sec. 12, T9N. R2E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 9 in. diam. bears S 15° E 9 lks. dist. of  
 a Span<sup>d</sup>. Oak 24 " " " S 61° W 7 " "  
 80.00 Set a post, Cor. to Sec. 11 & 12, T9N. R2E, from which

T9N R3E. 2<sup>d</sup> Mer. Indiana

a Gum 18 in. dia. beam N 17 E 6 lks. dist. of  
 a Sugar 10 " " " N 72 W 20 " "  
 Over broken land, timber Oak &c.

North On E. boundary of Sec. 1, T9N, R2E.

40.00 Set the q. Sec. post, from which  
 a Sugar 12 in. dia. beam N 83 E 10 lks. dist. of  
 an Iron. — " " " N 82 W 11 " "

68.50 at Brook 10 lks. wide Course S. E.

70.24 Set a post Cor. to Towns 9 & 10 North, Ranges  
 2 & 3 East. from which  
 a Beech 8 in. dia. beam N 57 E 10 lks. dist. of  
 a do 8 " " " N 66 W 6 " "  
 Over broken land, timber Oak &c.  
 "I am almost out done by the hills"

June 22<sup>nd</sup> 1819

Surveyed by John M. McDonald, Dep. Sur.

Subdivision. Sept. 16<sup>th</sup> 1819

North Between Sec. 36, & 35, T9N, R3E.

35.50 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which  
 a B. Oak 6 in. dia. beam North 11 lks. dist. of  
 a Beech 14 " " " N 12 E 30 " "

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Poplar 14 in. dia. beam N 20 E 33 lks. dist. of  
 a Gum 10 " " " S 9 E 6 " "

Land hilly and thickly timber (scattering)  
 W. & B. Oak, Poplar, Gum &c. under Iron.  
 Hogwood Lassafras &c. 3<sup>d</sup> rate

East On Random between Sec. 25 & 36, T9N, R3E.

40.00 Set temp. q. Sec. post

T9 N R3 E. 2<sup>d</sup>. Mer. Indiana

81.90 Intersected the E. boundary 100 lks. S. of post  
Land very hilly & poor & thickly - timber  
Scattering W & C. Oak, Hickory & Gum, undg.  
W. Oak, Hickory, Sassafras &c. 3<sup>d</sup>. rate

West Corrected between Secs. 25 & 26, T9 N, R3 E.  
40.95 Set q. Sec. post at average dist. from which  
a W. Oak 18 in. dia. bran N 43° W 12 1/2 lks. dist.  
No other timber near  
81.90 to Sec. Corner

North Between Secs. 25 & 26, T9 N, R3 E.  
31.10 a P. Oak 24 in. dia. in line  
40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bran S 59° W 5 lks. dist. &  
a Hickory 5 " " " N 34° E 10 " "  
45.00 a Creek 50 lks. wide Cr. S 40° W  
61.30 an Ash 24 in. dia. in the line  
80.00 Set a post Cor. to Secs. 23, 24, 25 & 26 from which  
a Hickory 12 in. dia. bran N 41° E 17 lks. dist. &  
an Ironwood 6 " " " N 64 1/2° W 26 " "  
Land very hilly, except along the Creek  
timber W & C. Oak, Poplar, Beech &c.

East On Rand. between Secs. 24 & 25, T9 N, R3 E.  
40.00 Set temp. q. Sec. post,  
68.50 a Creek 50 lks. wide Cr. S 10° W  
81.30 Intersected the E. boundary 218 lks. S. of post  
Land rough & hilly, timber W & C. Oak, Hickory.  
Some Sugar, Gum &c. 3<sup>d</sup>. rate.

West Corrected between Secs. 24 & 25, T9 N, R3 E.  
40.65 Set q. Sec. post at average dist. from which



T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 14 in. dia. bray N 52 W 20 lks. dist. of  
 a Do 20 " " " S 51 E 37 " "  
 81.30 to Sec. Cor. Sept. 17<sup>th</sup> 1819

North Between Sec. 23 & 24, T9 N. R3 E.

37.80 a W. Oak 14 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 3 in. dia. bray N 83 E 14 lks. dist. of  
 a Poplar 6 " " " N 59 W 17 1/2 " "  
 58.50 a W. Oak 24 " " in the line  
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Beech 18 in. dia. bray S 83 E 16 lks. dist. of  
 a Do 13 " " " S 86 1/2 W 30 " "  
 Land very hilly & broken, timber W. Oak  
 Hickory, Gum, Beech &c. underg<sup>d</sup>. Ironwood  
 Dogwood, Sassafras &c. 3<sup>d</sup>. rate

East On Land<sup>d</sup> between Sec. 13 & 24, T9 N. R3 E.

40.00 Set temp<sup>y</sup>. q. Sec. post  
 80.90 Intersected the N & S. line 226 lks. S. of post  
 Land rough & thickety, timber W. Oak,  
 Hickory, Gum, Beech &c. underg<sup>d</sup>. Ironw?  
 Dogw? Sassafras &c. 3<sup>d</sup>. rate.

West Corrected between Sec. 13 & 24, T9 N. R3 E.

40.45 Set the q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bray N 69 E 16 1/2 lks. dist. of  
 a Do 6 " " " N 55 1/2 W 15 " "  
 80.90 to Sec. Corner. Dec. 24<sup>th</sup> 1819

North Between Sec. 13 & 14, T9 N. R3 E.

17.70 a W. Oak 30 in. dia. in the line  
 40.00 Set the q. Sec. post, from which

T9 N. R3 E. 2<sup>nd</sup>. Mer. Indiana

a Hickory 10 m. dist. bear N 65 W 14 lks. dist. of  
and Ash 5 " " " S 75 E 13 " "

62.75 a Sugar 13 " " in the line

67.75 a Brook 20 lks. wide Course N 80 W

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Beech 16 m. dist. bear N 68 E 14 lks. dist. of  
a W. Oak 15 " " " S 89 W 22 " "

Land poor & hilly, timber W & C. Oak and  
Hickory, undug<sup>th</sup>, Ironw<sup>d</sup>? Dogw<sup>d</sup>? &c.

East On Random between Sec. 12 & 13, T9 N. R3 E.

23.50 a Brook 20 lks. wide Course S 45 W

40.00 Set temp. g. Sec. post

80.10 Intersected the E. boundary 98 lks. S. of post  
Land very hilly & poor, timber W, B & C. Oaks &  
Hickory, undug<sup>th</sup>, Dogwood & Ironwood

West Corrected between Sec. 12 & 13, T9 N. R3 E.

40.05 Set g. Sec. post at average dist. from which  
a W. Oak 16 m. dist. bear N 46 W 20 lks. dist. of  
a Beech 5 " " " S 50 E 14 " "

80.10 to Sec. Corner.

North Between Sec. 11 & 12, T9 N. R3 E.

14.00 a Hickory 8 m. dist. in the line

31.00 a Stream 80 lks. wide Course West

36.50 Do 80 " " " S 60 E.

40.00 Set the g. Sec. post, from which

a Sycamore 20 m. dist. bear N 76 E 29 lks. dist. of

a Do 26 " " " S 57 W 6 " "

42.00 last mentioned Stream Course S 40 W

54.60 a Hickory 24 m. dist. in the line

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

T9N R3E, 2<sup>d</sup> Mer. Indiana

a Walnut 40 mi. diam. bear S33 E37 1/2 hrs. dist.  
 a Buckeye 10 " " " N39 W4 " "  
 Land poor & hilly except along the Creek, timber  
 W.C. Oak, Sugar, Beech, undug. Dogwood & Ironwood.

East On Random between Sec. 1 & 12, T9N, R3E.  
 2.00 a Stream 80 lks. wide Cr. N10 E.

40.00 Let temp. q. Sec. post

80.00 Intersected the E. boundary 62 lks. N. of  
 the post. Land very hilly & poor, timber  
 W. B. & L. Oak & Beech, undug. Dogwood & Ironwood.

West Corrected between Sec. 1 & 12, T9N, R3E.

40.00 Let the q. Sec. post at a navig. dist. from which  
 a B. Oak 30 mi. diam. bear N45 W22 1/2 lks. dist.  
 a B. Oak 10 " " " N64 E4 " "

80.00 to Sec. Corner.

North Between Sec. 1 & 2, T9N, R3E.

11.10 an Ash 14 mi. diam. in the line

40.00 Let the q. Sec. post, from which  
 a Maple 6 mi. diam. bear S35 W66 1/2 hrs. dist.  
 a No 6 " " " N28 E34 " "

64.90 a B. Oak 18 " " in the line

79.75 Intersected the N. boundary 2.92 lks. E. of  
 post, let a post Cor. to Sec. 1 & 2, from which  
 a B. Oak 5 mi. diam. bear N82 W30 1/2 hrs. dist.  
 a W. Oak 13 " " " West 20 " "  
 Land poor & hilly, timber W. B. Oak & Hickory  
 undug. Dogwood & Ironwood

North Between Sec. 34 & 35, T9N, R3E

15.00 a Brook 8 lks. wide Cr. N45 W.



T9N. R3E. 2<sup>d</sup>. Mer. Indiana

- 18.50 a W. Oak 16 in. dia.  
 40.00 Let the g<sup>r</sup>. Sec. post, from which  
     a Hickory 7 in. dia. bear S 19 W 39 lbs. dist. of  
     a W. Oak 18 " " " N 70 E 50 " "  
 75.30 a Beech 10 " "  
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which  
     a W. Oak 14 in. dia. bear S 5 E 85 lbs. dist. of  
     a Do 12 " " " S 76 E 29 " "  
 Land hilly & poor, timber W. & B. Oak & hickory  
 underg<sup>d</sup>. W. Oak, hickory & Sassafras
- 

- East On Random between Sec. 26 & 35, T9N. R3E.  
 40.00 Let temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 49.00 a Brook 8 lbs. wide run N 15 W.  
 79.08 Intersected the N & S. line 82 lbs. N. of post  
 Land very hilly & poor, timber W. & B. Oak and  
 Hickory; underg<sup>d</sup>. W. Oak, hickory & Sassafras
- 

- West On true line between Sec. 26 & 35, T9N. R3E.  
 39.54 Let g<sup>r</sup>. Sec. post at average dist. from which  
     a W. Oak 16 in. dia. bear S 30 E 37 lbs. dist. of  
     a Do 24 " " " N 19 W 38 " "  
 79.08 to Sec. Corner.
- 

- North Between Sec. 26 & 27, T9N. R3E.  
 13.00 a Brook 6 lbs. wide Course N 36 W  
 21.70 a W. Oak 14 in. dia.  
 33.50 a Creek 50 lbs. wide Cr. West  
 40.00 Let the g<sup>r</sup>. Sec. post, from which  
     a Sugar 12 in. dia. bear S 61 W 2 lbs. dist. of  
     a Do 12 " " " N 87 E 20 " "  
 49.20 a W. Oak 15 " "  
 76.00 a Brook 6 lbs. wide Cr. West

T<sup>9</sup>N-R<sup>3</sup>E. 2<sup>d</sup>. Mer. Indiana

80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 5 m. dist. bear S 55 E 13 lks. dist. of  
 a W. Oak 14 " " " S 72 W 13 " "  
 Land hilly & poor, timber W & N. Oak & Hickory  
 underg<sup>d</sup>. Dogwood, Ironwood & Sassafras

East On Rand<sup>m</sup>. between Sec. 23 & 26, T<sup>9</sup>N. R<sup>3</sup>E.

4.00 a Brook 6 lks. run, S 80 W

40.00 Let temp<sup>y</sup>. g<sup>r</sup>. Sec. post

79.00 Intersected the N & S. line 135 lks. N. of post  
 Land hilly & poor, timber W & N. Oak & Hickory  
 & Beech; underg<sup>d</sup>. Dogw.<sup>d</sup> & Ironwood

West Corrected between Sec. 23 & 26, T<sup>9</sup>N. R<sup>3</sup>E.

39.50 Let g<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 12 m. dist. bear N 14 E 31 lks. dist. of  
 a Beech 12 " " " N 76 W 17 " "

79.00 to Sec. Corner

North Between Sec. 22 & 23, T<sup>9</sup>N. R<sup>3</sup>E.

11.50 a W. Oak 10 m. dist.

40.00 Let the g<sup>r</sup>. Sec. post, from which  
 a Beech 1 1/2 m. dist. bear N 53 E 15 lks. dist. of  
 a Do 12 " " " S 47 W 39 " "

51.00 a N. Oak 39 " "

64.50 a Stream 100 lks. wide C<sup>r</sup>. N 60 W

80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Hickory 7 m. dist. bear N 49 E 14 lks. dist. of  
 a W. Oak 7 " " " N 81 W 16 " "  
 Land hilly & poor, timber W & N. Oak, hickory  
 & Beech; underg<sup>d</sup>. Dogwood & Ironwood

East On Rand<sup>m</sup>. between Sec. 14 & 23, T<sup>9</sup>N. R<sup>3</sup>E.

T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

- 11.00 a Stream 100 lks. wide C.S. South  
 40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 79.08 Intersected the N & S. line 37 lks. N. of post  
 Land hilly & poor, timber W. & B. Oak, hick<sup>y</sup>  
 & Beech, undg<sup>th</sup>. Dogwood, Ironwood &c.
- 

- West Corrected betw<sup>n</sup>. Sec. 14 & 23, T9 N. R3 E.  
 39.54 Set g<sup>r</sup>. Sec. post at average dist. from which  
 a Hickory 5 m. dist. bear N 80 W 7 lks. dist. of  
 a Beech 5 " " " N 82 W 16 " "  
 79.08 to Section Corner Dec. 28<sup>th</sup>. 1819
- 

- North Between Sec. 14 & 15, T9 N. R3 E.  
 27.30 a W. Oak 8 m. dist.  
 40.00 Set the g<sup>r</sup>. Sec. post, from which  
 a W. Oak 6 m. dist. bear S 25 W 37 lks. dist. of  
 a do 12 " " " N 44 E 37 " "  
 48.00 a Hickory 18 " "  
 68.50 a Brook 10 lks. wide C.S. S 10 E.  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a B. Oak 6 m. dist. bear N 46 W 10 lks. dist. of  
 a W. Oak 11 " " " N 37 E 32 " "  
 Land very hilly & poor, timber W. Oak, B. Oak  
 C. Oak & Hickory; undg<sup>th</sup>. Dogw. & Ironw.  
 December 28<sup>th</sup>. 1819
- 

- East Out Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 11 & 14, T9 N. R3 E.  
 9.50 a Brook 8 lks. wide Course S 40 E.  
 40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 47.50 a Brook 6 lks. wide Course S 5 E.  
 50.00 a Stream 80 lks. wide C.S. S 10 E.  
 80.00 Intersected the N & S. line 142 lks. E. of post  
 Land very hilly & poor, timber W. & B. Oak



T9 N. R3 E. 2<sup>nd</sup> Mer. Indiana

& Gum, undg<sup>th</sup> Dogwood & Ironwood

Nest Corrected between Sec. 11 & 14, T9 N. R3 E.  
 40.00 At the q. Sec. post, from which  
 a W. Oak 16 in. dia. bray N51 W 19 lbs. dist. of  
 a Beech 7 " " " S77 E 15 " "  
 80.00 to Sec. Corner

North Between Sec. 10 & 11, T9 N. R3 E.  
 16.90 a W. Oak 7 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Chest. Oak 15 in. dia. bray N61 E 14 lbs. dist. of  
 a Do 8 " " " S37 W 24 " "  
 50.00 a Brook 10 lbs. wide C.S. S10 W  
 63.13 a Chestnut Oak 10 in. dia.  
 80.00 At a post Cor. to Sec. 2, 3, 10 & 11, from which  
 a Poplar 26 in. dia. bray N33 E 38 lbs. dist. of  
 a Beech 12 " " " S82 W 27 " "  
 Land hilly & poor, timber W, B & C. Oaks & Beech  
 undg<sup>th</sup> Dogwood & Hackberry

East On Rand. between Sec. 2 & 11, T9 N. R3 E.  
 32.50 a Brook 4 lbs. wide C.S. S80 E.  
 40.00 At temp. q. Sec. post  
 57.50 a Brook 6 lbs. wide C.S. S10 W  
 80.60 Intersected the N & S. line at the Corner  
 Land very hilly & poor, timber W, B & C. Oaks &  
 Hickory, undg<sup>th</sup> Dogwood & Hackberry

Nest Corrected between Sec. 2 & 11, T9 N. R3 E.  
 40.30 At the q. Sec. post at average dist. from  
 which a Gum 6 in. dia. bray N61 E 28 lbs. dist. of  
 a Do 7 " " " S38 W 15 " "

T9 N. R 3 E. 2<sup>nd</sup> Mer. Indiana

80.60 to Section Corner.

---

North Between Sect. 2 & 3, T9 N. R 3 E.  
 11.50 a W. Oak 15 in. dia.  
 17.50 a Brook 10 lks. wide Course N 60 W  
 40.00 Let the gr. Sec. post, from which  
     a Chest. Oak 20 in. dia. bear S 22 W 30 lks. dist. of  
     a Sugar 14 " " " N 20 E 3 " "  
 51.00 a Brook 8 lks. wide Course N 10 W  
 67.20 a Poplar 24 in. dia.  
 75.00 Intersected the N. boundary 295 lks. E. of post  
     Let a post Cor. to Sect. 2 & 3, from which  
     a Beech 11 in. dia. bear N 15 W 14 lks. dist. of  
     a W. Oak 18 " " " S 14 E 40 " "  
     Land poor & hilly, timber W. Oak & Beech  
     underg<sup>th</sup>. Dogwood & Ironwood  
     December 29<sup>th</sup> 1819

---

North Between Sect. 33 & 34, T9 N. R 3 E.  
 22.00 a W. Oak 14 in. dia.  
 35.00 a Brook 25 lks. wide C.S. S 20 E.  
 40.00 Let the gr. Sec. post, from which  
     an Elm 5 in. dia. bear N 11 E 9 lks. dist. of  
     a W. Walnut 7 " " " N 11 W 35 " "  
 41.00 Last mentioned brook C.S. N 30 E.  
 47.00 a Lycamore 26 in. dia.  
 47.20 last mentioned brook C.S. N 15 E.  
 80.00 Let a post Cor. to Sect. 27, 28, 33 & 34, from  
     which a W. Oak 10 in. dia. bear N 9 E 42 lks. dist. of  
     a Beech 12 " " " S 13 W 39 " "  
     Land hilly & poor, timber W. Oak & Gum  
     underg<sup>th</sup>. Dogw<sup>d</sup>. Ironwood & Sassafras.

---

T9N-R3E-2<sup>d</sup>. Mer. Indiana

367

East Outland<sup>m</sup> between Secs. 27 & 34, T9N, R3E.

40.00 Set temp<sup>y</sup>. gr. Sec. post

77.50 at Brook 6 lks. wide Cr. North

80.00 Intersected the N & S. line 200 lks. S. of post  
Land very hilly & poor, timber W & B. Oak & Hickory  
underg<sup>g</sup>. W. Oak, Hickory & Sassafras.

---

West Corrected between Secs. 27 & 34, T9N, R3E.

40.00 Set the gr. Sec. post at average dist. from which  
a W. Oak 20 in. dia. bran N 58 E 5 lks. dist.  
an Ash 5 " " " S 14 W 14 " "

80.00 to Sec. Corner.

---

North Between Secs. 27 & 28, T9N, R3E.

14.70 a W. Oak 18 in. dia.

40.00 Set the gr. Sec. post, from which  
a W. Oak 18 in. dia. bran N 43 E 39 lks. dist.  
a Beech 12 " " " S 74 W 19 " "

50.50 a Stream 50 lks. wide Cr. West

58.05 a W. Oak 24 in. dia.

80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which  
a W. Oak 24 in. dia. bran N 12 E 9 lks. dist.  
a Ho 30 " " " S 13 W 47 " "

Land hilly & poor, timber W & B. Oak, Hickory  
& Beech, underg<sup>g</sup>. Dogwood & Ironwood

---

East Outland<sup>m</sup> between Secs. 26 & 27, T9N, R3E.

40.00 Set temp<sup>y</sup>. gr. Sec. post.

47.50 a Brook 8 lks. wide Cr. S 10 W

79.00 a Ho 10 " " " S 5 W

80.00 Intersected the N & S. line 60 lks. S. of post  
Land timber &c. same as on the last mile

---



T9 N. R3 E. 2<sup>nd</sup> Mer. Indiana

West Corried between Sec. 22 & 27, T9 N. R3 E.  
 40.00 Set the q. Sec. post at average dist. from which  
     a Beech 12 in. dia. - bray N67 W 35 Lk. dist. &  
     a Sugar 12 " " " N70 W 50 " "  
 80.00 to Sec. Corner

North Between Sec. 21 & 22, T9 N. R3 E.  
 7.00 a Stream 100 Lk. wide C. S. 140 W  
 11.00 Same Stream " " " S30 E.  
 21.00 Sam Stream " " " S35 W  
 24.00 an Ash 24 in. dia.  
 34.00 a Brook 10 Lk. wide C. S. 146 W  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 10 in. dia. - bray N27 E 38 Lk. dist.  
     & a Do 13 " " " S24 W 14 " "  
 55.00 a W. Oak 14 " "  
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
     a Chest. Oak 12 in. dia. - bray N42 W 42 Lk. dist. &  
     a D. Oak 26 " " " N51 E 42 " "  
 Land 1 1/2 mile hilly - last 1/2 level of 2<sup>nd</sup> State  
 Bottom, timber W. Oak, Sugar & Beech  
 underg<sup>th</sup> Spruce & Ash

East On Rand<sup>m</sup> between Sec. 15 & 22, T9 N. R3 E.  
 8.80 a Brook 6 Lk. wide C. S. 15 E.  
 24.00 a Brook 8 " " " S8 E.  
 40.00 Set temp. q. Sec. post.  
 43.00 a Brook 8 Lk. wide C. S. 120 E.  
 76.50 a Do 12 " " " S10 E  
 80.12 Intersected the N & S. line 50 Lk. S. of post  
 Land hilly & poor, timber W. Oak, Hickory  
 & Beech, underg<sup>th</sup> Magn<sup>?</sup> & Ironw<sup>?</sup>. Dec. 30. 1879

T9 N. R3 E. T<sup>n</sup>. Mer. Indiana

West Corrected between Sec. 15 & 22, T9 N. R3 E.  
 40.06 Set the q<sup>r</sup>. Sec. post at average dist. from which  
 a Hickory 12 in. dia. bear N 49 1/2 E 23 lks. dist. of  
 a Gum 18 " " " N 63 W 10 " "  
 80.12 to Sec. Corner.

---

North Between Sec. 15 & 16, T9 N. R3 E.

22.50 a W. Oak 14 in. dia.

40.00 Set the q<sup>r</sup>. Sec. post, which is a B. Oak 10 in. dia.  
 from which a Hickory 6 in. dia. bear S 27 W 28 lks. dist.  
 no other

53.50 at Brook 8 lks. wide Cr. S 18 W

62.65 a Chestnut Oak 18 in. dia.

80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which  
 a Hickory 15 in. dia. bear N 50 E 10 lks. dist. of  
 an Ironw. 6 " " " S 47 W 33 " "  
 Land hilly & poor, timber W, B & C. Oak, Hickory  
 & Gum, undg<sup>r</sup>. Dogw<sup>d</sup>. Ironw<sup>d</sup>. & Sassafras

---

East On Rand<sup>m</sup>. between Sec. 10 & 15, T9 N. R3 E.

36.50 at Brook 8 lks. wide Course S 18 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Intersected the N & S. line 35 lks. N of post.  
 Land hilly & poor, timber W, B & C. Oak & Hickory.  
 undg<sup>r</sup>. Dogwood & Sassafras

---

West Corrected between Sec. 10 & 15, T9 N. R3 E.

40.00 a W. Oak 15 in. dia. Cor. at average dist. from which  
 a B. Oak 7 in. dia. bear N 38 W 17 lks. dist.

80.00 to Sec. Corner.

---

North Between Sec. 9 & 10, T9 N. R3 E.

17.00 at Brook 12 lks. wide Cr. S 45 W

T9N. R3E. 2<sup>d</sup>. Mer. Indiana

- 30.70 a Maple 7 in. dia.  
 40.00 Set the q. Sec. post, from which  
     a Dogwood 4 in. dia. bray N67E28 lks. dist. of  
     a Hickory 8 " " " N88W28 " "  
 47.75 a W. Oak 12 " "  
 53.00 a Brook 25 lks. wide Cr. S40W  
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
     a W. Oak 22 in. dia. bray N37E27 lks. dist. of  
     a Hickory 6 " " " S35W28 " "  
     Sand hilly & poor, timber W & E. Oak & hickory.  
     underg<sup>th</sup>. Dogwood, Ironwood & Cassapara.
- 

- East On Land 8<sup>m</sup>. between Sec. 3 & 10, T9N. R3E.  
 6.50 a Brook 6 lks. wide Cr. N15E.  
 10.00 a do 6 lks. " " S10W  
 21.00 a do 8 lks. " " S45W  
 40.00 Set temp<sup>y</sup>. q. Sec. post  
 79.80 Intersected the N & S. line at the Sec. Corner  
     Sand hilly & poor, timber W, E & H. Oak and  
     Hickory, underg<sup>th</sup>. Dogwood & Cassapara
- 

- West Corrected between Sec. 3 & 10, T9N. R3E.  
 39.90 Set the q. Sec. post at average dist. from which  
     a W. Oak 12 in. dia. bray N31W46 lks. dist. of  
     a do 6 " " " S49E20 " "  
 79.80 to Sec. Corner
- 

- North Between Sec. 3 & 4, T9N. R3E.  
 14.50 a W. Oak 13 in. dia.  
 40.00 Set the q. Sec. post, from which  
     a Chest. Oak 14 in. dia. bray South 24 lks. dist. of  
     a W. Oak 8 " " " N18E19 " "  
 50.90 a W. Oak 15 " "

- 72.50 a stream 25 lks. wide Cr. N85W  
 74.75 Intersected the N. boundary 396 lks. E. of post  
 at a post Cor. to Sec. 3 & 4, from which  
 a Hickory 14 in. dia. bray S59E 38 lks. dist. of  
 a Sugar 13 " " N58W 28 " "  
 Land hilly & poor, timber W. B. & C. Oak &  
 Hickory, underg. <sup>4</sup> Dogw. & Ironwood
- 

December 31<sup>st</sup> 1819

North Between Sec. 32 & 33, T9 N. R3 E

- 8.85 a Chestnut Oak 24 in. dia.  
 40.00 at the gr. Sec. post, from which  
 a W. Oak 13 in. dia. bray N68E 21 lks. dist. of  
 a Do 16 " " " N78W 34 " "  
 55.50 a Brook 10 lks. wide Course N40 E.  
 63.10 a W. Oak 12 in. dia.  
 80.00 at a post Cor. to Sec. 28, 29, 32 & 33, from which  
 a Chest. Oak 12 in. dia. bray S89W 11 lks. dist. of  
 a Do 16 " " " N55E 27 " "  
 Land hilly & thickety, timber scattering W. B.  
 Oak & Hickory, underg. <sup>4</sup> W. Oak, Hickory & Sassafras.
- 

East Between Sec. 28 & 33, on Random

- 40.00 at temp. gr. Sec. post  
 72.50 a Brook 25 lks. wide Cr. S5 E.  
 78.20 Intersected the N. & S. line 63 lks. N. of post  
 Land hilly & poor, timber W. B. Oak & Hickory  
 underg. <sup>4</sup> Dogw. <sup>?</sup> W. Oak & Sassafras
- 

West Corrected between Sec. 28 & 33, T9 N. R3 E.

- 39.10 at gr. Sec. post at average dist. from which  
 a W. Oak 16 in. dia. bray S20E 42 lks. dist. of  
 a Beech 8 " " " N17W 31 " "



T9 N. R3 E. T<sup>n</sup>. Mer. Indiana

78.20 to Sec. Corner.

North Between Sect. 28 &amp; 29, T9 N. R3 E.

33.30 a W. Oak 11 in. dia.

40.00 Set the q<sup>r</sup>. Sec. post, from which

a W. Oak 19 in. dia. bears N46 E 78 lks. dist. of

a Hickory 9 " " S62 N 47 " "

53.50 a Sugar 9 in. dia.

80.00 Set a post Cor. to Sect. 20, 21, 28 & 29, T9 N. R3 E.  
from which

an Elm 14 in. dia. bears S33 N 140 lks. dist. of

a Maple 10 " " " N29 E 40 " "

This post is set in a stream 100 lks. wide est.

180 ft. Land hilly & poor, timber W & B. Oak  
Hickory & Beech, undug. <sup>tr</sup> Dogwood & Hackberry.East Out Land<sup>m</sup>. between Sect. 21 & 28, T9 N. R3 E.

6.50 a Creek 100 lks. wide runs S58 W

13.50 Same stream runs North

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

72.50 Last mentioned stream S10 W

78.28 Intersected the N &amp; S. line 62 lks. N. of post

Land level & 2<sup>d</sup> rate Bottom timber W. Oak

Beech &amp; Sugar.

West Corrected between Sect. 21 &amp; 28, T9 N. R3 E.

39.14 Set q<sup>r</sup>. Sec. post at average dist. from which

a Beech 13 in. dia. bears S66 W 16 lks. dist. of

a W. Oak 30 " " " N32 E 14 " "

78.28 to Sec. Corner.

North Between Sect. 20 &amp; 21, T9 N. R3 E.

38.10 a Hickory 12 in. dia.

T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Let the gr. Sec. post, from which  
a W. Oak 18 in. dia. bear S 70 E 11 lks. dist. of  
a No 13 " " " 189<sup>th</sup> 162 " "
- 61.50 a W. Oak 9 " "
- 80.00 Let a post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 8 in. dia. bear N 64 W 47 lks. dist. of  
an Elm 9 " " " 143 E 37 " "
- Land hilly & poor, timber W. & C. Oak, Hickory,  
underg<sup>th</sup>. Dogw. & Ironwood

East On Random between Sec. 16 & 21, T9 N. R3 E

- 40.00 Let temp. gr. Sec. post
- 65.00 a brook 10 lks. wide Course N 10 E
- 79.68 Intersected the N. & S. line 12 lks. N. of post  
Land hilly & poor, timber W. & C. Oak, Hickory  
underg<sup>th</sup>. Dogwood & Ironwood.

West Corrected between Sec. 16 & 21, T9 N. R3 E.

- 39.84 Let the gr. Sec. post, at average dist. from which  
a W. Oak 9 in. dia. bear N 18 W 26 lks. dist. of  
a B. Oak 16 " " " 116 W 17 " "
- 79.68 to Sec. Corner January 1<sup>st</sup> 1890

North Between Sec. 16 & 17, T9 N. R3 E.

- 6.50 a Brook 25 lks. wide Course N 10 W
- 10.00 a Beech 8 in. dia.
- 40.00 Let the gr. Sec. post, from which  
a Beech 13 in. dia. bear S 59 E 46 lks. dist. of  
a Gum 26 " " " N 53 W 38 " "
- 46.00 a Brook 8 lks. wide Cr. S 30 E.
- 59.65 a W. Oak 13 in. dia.
- 80.00 Let a post Cor. to Sec. 8, 9, 16 & 17, from which  
a W. Oak 14 in. dia. bear North 46 lks. dist. of

T9N R3E, 2<sup>d</sup>. Mer. Indiana

a W. Oak 12 in. dia. - bray S 15 W 11 lks. dist. of  
 Sand hilly & poor, timber W & E. Oak & Hickory  
 undug. <sup>th</sup> Dogwood & Ironwood

East On Rand<sup>m</sup>. between Sec. 9 & 16, T9N. R3E.

34.00 at Brook 10 lks. wide C. S. 15 E.

40.00 at temp<sup>y</sup>. of Sec. post

50.00 at Brook 15 lks. wide Course S 30 W

79.70 Intersected the N & S line 48 lks. N. of post.  
 Sand hilly & poor, timber W & E. Oak, Hickory  
 & Gum, undug. <sup>th</sup> Dogwood & Sassafras

West Connected between Sec. 9 & 16, T9N. R3E.

39.85 a W. Oak 26 in. at average dist. from which

a W. Oak 18 in. dia. - bray S 50 E 23 lks. dist. of

79.70 to Sec. Corner

North Between Sec. 8 & 9, T9N. R3E

16.30 a W. Oak 30 in. dia.

40.00 at the of Sec. post, from which

a W. Oak 18 in. dia. - bray S 15 W 53 lks. dist. of

a Poplar 28 " " " N 11 W 26 " "

51.00 at Brook 6 lks. wide C. S. 145 E

56.00 a W. Oak 11 in. dia.

70.60 at Brook 6 lks. wide C. S. 15 E.

80.00 at a post Cor. to Sec. 4, 5, 8 & 9, from which

a W. Oak 24 in. dia. - bray N 76 W 21 lks. dist. of

a Do 18 " " " S 73 E 60 " "

Sand hilly & poor, timber W & E. Oak & Hickory  
 undergrowth, Dogwood & Ironwood

East On Rand<sup>m</sup>. between Sec. 4 & 9, T9N. R3E.

29.00 at Brook 6 lks. wide C. S. 130 E

T9 N. R3 E. 2<sup>nd</sup> Mer. Indiana

375

40.00 Set the q<sup>r</sup>. Sec. post temporary  
80.20 Intersected the N & S. line 59 lks. N. of post  
Land hilly & poor, timber W. Oak, P. Oak, Hick<sup>y</sup>.  
& Gum, underg<sup>th</sup>. Dogwood & Ironwood

---

Met Corrected between Secs. 4 & 9, T9 N. R3 E.  
40.10 Set the q<sup>r</sup>. Sec. post at average dist. from which  
a W. Oak 18 in. dia. bears S 78 E 32 lks. dist. of  
a Gum 5 " " " N 73 W 7 " "  
80.20 to Sec. Corner.

---

North Between Secs. 4 & 5, T9 N. R3 E.  
17.35 a W. Oak 22 in. dia.  
40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Chest. Oak 16 in. dia. bears S 3 E 39 lks. dist. of  
a Do 14 " " " N 84 E 5 " "  
64.50 a W. Oak 13 " "  
70.50 Intersected the N. boundary 404 lks. East of  
post Set a post Cor. to Sec. 4 & 5, from which  
a Beech 7 in. dia. bears N 45 E 4 lks. dist. of  
a C. Oak 12 " " " N 57 W 67 " "  
Land hilly & poor, timber W. P. & C. Oak & Hick<sup>y</sup>.

---

January 3<sup>rd</sup> 1828

North Between Secs. 31 & 32, T9 N. R3 E

16.35 a W. Oak 30 in. dia.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Chest. Oak 14 in. dia. bears S 47 W 13 lks. dist. of  
a Do 13 " " " N 23 E 21 " "

68.00 a Beech 14 in. dia.

71.50 at Brook 6 lks. wide Cr. S 80 W

80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which  
a Chest. Oak 8 in. dia. bears N 39 E 14 lks. dist. of



T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

a Chest. Oak 12 in. dia. - bear S28 $\frac{1}{2}$ W 31 $\frac{1}{2}$  lbs. dist. of  
Land very hilly & poor, timber W. Oak and  
Hickory, underg<sup>th</sup> W. Oak, hickory & Sassafras

East On Rand<sup>m</sup> between Sec. 29 & 32, T9 N. R3 E

40.00 Set temp<sup>y</sup>. of Sec. post

81.00 Intersected the N & S. line 54 lbs. S. of the post  
Land hilly & poor, timber W. Oak, hickory &  
Gum, underg<sup>th</sup> Dogw<sup>d</sup>. hickory W. Oak & Sassafras

West Corrected between Sec. 29 & 32, T9 N. R3 E

40.50 Set of Sec. post at average dist. from which  
a — 9 in. dia. - bear N33 $\frac{1}{2}$ W 16 lbs. dist. of  
a Ch. Oak 10 " " " S36E 18 " "

81.00 to Sec. Corner

West Between Sec. 30 & 31, T9 N. R3 E.

19.45 a W. Oak 12 in. dia.

29.50 a Brook 8 lbs. wide Cr. N60W

40.00 a Sugar 5 in. dia. for of. Corner, from which  
a Buck 12 in. dia. - bear S45W 29 lbs. dist. of

58.75 a Chest. Oak 12 in. dia.

87.50 Intersected the W. boundary 29 lbs. S. of the post  
Set a post Cor. to Sec. 30 & 31, from which  
a W. Oak 13 in. dia. - bear S43W 22 lbs. dist. of  
a do 12 " " " N68E 30 " "  
Land hilly & poor, timber W. Oak & hickory  
underg<sup>th</sup> Hickory, W. Oak & Sassafras

North Between Sec. 29 & 30, T9 N. R3 E.

10.95 a Chest. Oak 12 in. dia.

40.00 Set the of. Sec. post, from which  
a Gum 16 in. dia. - bear N14E 32 lbs. dist. of

T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

a Hickory 15 in. dia. bray S43W30 lks. dist.  
 50.45 a Ch. Oak 11 in. dia.  
 80.00 Let a post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Poplar 48 in. dia. bray N42W8 lks. dist. of  
 a Sugar 10 " " " S5E13 " "  
 Land hilly & poor, timber W & C. Oak & Hickory  
 underg. W. Oak, Hickory & Hulsapra

East On Land<sup>m</sup> between Sec. 20 & 29, T9 N. R3 E.  
 19.00 a Stream 100 lks. wide runs N30E.  
 40.00 Let temp. q. Sec. post  
 47.50 a Brook 8 lks. wide Cr. S30W.  
 80.50 Intersected the N & S. line 12 lks. N. of post  
 Land level 2<sup>d</sup>. rate bottom, timber Sugar, Beech,  
 & W. Oak, underg. <sup>th</sup> Spruce Jan. 4<sup>th</sup> 1820

West Corrected between Sec. 20 & 29, T9 N. R3 E.  
 40.25 Let q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bray S84E31 lks. dist. of  
 a Sugar 14 " " " N66W25 " "  
 80.50 to Sec. Corner.

West 1 Between Sec. 19 & 30, T9 N. R3 E.  
 5.50 a Stream 125 lks. wide Course West  
 13.00 left the Stream running S60W  
 22.55 an Ash 16 in. dia.  
 30.00 Last mentioned Stream runs N60W  
 40.00 Let the q. Sec. post, from which  
 a W. Oak 28 in. dia. bray N60E46 lks. dist. of  
 a P. Oak 36 " " " N60W10 " "  
 49.60 a Poplar 48 " "  
 86.00 Intersected the W. boundary 13 lks. S. of the post  
 Let a post Cor. to Sec. 19 & 30, from which

T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 12 in. dia. bear N76 E 60 lbs. dist. of  
 a Maple 5 " " " S16 W 6 " "  
 1<sup>st</sup> 1/2 mile part rich bottom, part hilly - last  
 1/2 mile poor & hilly, timber W. Oak, Sycamore, Beech  
 underg<sup>d</sup>. Spice & Dogwood

---

North Between Secs. 19 & 20, T9 N. R3 E.

4.00 a Stream 125 lbs. wide runs S50 W.  
 25.00 a Beech 14 in. dia.  
 40.00 Let the gr. Sec. post, from which  
 a W. Oak 24 in. dia. bear S52 W 48 lbs. dist. of  
 a Do 36 " " " " N47 E 19 " "  
 56.97 a W. Oak 12 " " "  
 80.00 Let a post Cor. to Secs. 17, 18, 19 & 20, from which  
 a W. Oak 12 in. dia. bear N59 1/2 W 25 lbs. dist. of  
 a Maple 11 " " " " S49 E 20 " "  
 Land hilly & poor, timber W. Oak & Hickory  
 underg<sup>d</sup>. W. Oak, Dogwood & Ironwood

---

East On Rand<sup>m</sup>. between Secs. 17 & 20, T9 N. R3 E.

40.00 Let temp. gr. Sec. post  
 44.50 a Brook 10 lbs. wide Cr. S10 E.  
 76.50 a Do 25 " " " " S10 E.  
 80.00 Intersected the N & S. line 96 lbs. N. of post  
 Land poor & hilly, timber W. Oak & Hickory  
 underg<sup>d</sup>. Dogwood, Ironwood & W. Oak

---

West Corrected between Secs. 17 & 20, T9 N. R3 E.

40.00 Let the gr. Sec. post at average dist. from which  
 an Ash 11 in. dia. bear N86 1/2 E 52 lbs. dist. of  
 a W. Oak 12 " " " " S29 W 20 " "  
 80.00 to Sec. Corner

---

379

T9 N. R3 E. 2<sup>d</sup>. Mer. Indiana

West Between Secs. 18 & 19, T9 N. R3 E.

22.18 a Hickory 10 in. dia.

40.00 Set the q. Sec. post, from which  
a Hickory 6 in. dia. bears N 16 W 14 lks. dist. of  
a Sugar 6 " " " S 9 E 25 " "

42.00 a Stream 30 lks. wide Cr. N 15 W

53.68 a W. Oak 13 in. dia.

84.50 Intersected the W. boundary 53 lks. N. of post.  
Set a post Cor. to Secs. 18 & 19, from which  
a W. Oak 15 in. dia. bears N 56 E 14 lks. dist. of  
a Do 18 " " " South 19 " "  
Land hilly & poor, timber W & B. Oak & Hickory.  
underg<sup>d</sup>. W. Oak, Dogwood & Hickory

---

North Between Secs. 17 & 18, T9 N. R3 E.

16.95 a W. Oak 15 in. dia.

40.00 Set the q. Sec. post, from which  
a W. Oak 16 in. dia. bears S 35 W 16 lks. dist. of  
a Do 11 " " " N 37 E 56 " "

68.14 a Chest. Oak 9 in. dia.

80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which  
a W. Oak 7 in. dia. bears S 59 W 35 lks. dist. of  
a C. Oak 8 " " " N 83 E 34 " "  
Land hilly & poor, timber W & C. Oak & Hickory.  
underg<sup>d</sup>. W. Oak & Sassafras.

---

East On Rand<sup>d</sup>. between Secs. 8 & 17, T9 N. R3 E.

40.00 Set temp. q. Sec. post

44.00 a Brook 6 lks. wide Cr. S 20 E

80.40 Intersected the N & S. line 82 lks. N. of post.  
Land hilly & poor, timber W, B & C. Oak & Hickory.  
underg<sup>d</sup>. Dogwood &c. Jan. 5<sup>th</sup> 1890

---



## T9 N. R3 E. 2. Mer. Indiana

Nest Connected between Sec. 8 & 17, T9 N. R3 E.  
 40.20 Set gr. Sec. post at average dist. from which  
     a W. Oak 15 in. dia. bears S47°36' E. 16 1/2 lbs. dist. of  
     a Do 12 " " " N29° E 38 " "  
 80.40 to Sec. Corner.

Nest 1 Between Sec. 7 & 18, T9 N. R3 E.  
 25.00 a Brook 25 lbs. wide C. S. 115° W  
 28.50 a Beech 12 in. dia.  
 37.00 a Brook 6 lbs. wide C. S. 120° E.  
 40.00 Set the gr. Sec. post, from which  
     a W. Oak 10 in. dia. bears N35° W 28 lbs. dist. of  
     a Do 14 " " " N23° E 8 " "  
 47.60 a P. Oak 24 " "  
 61.60 a Brook 7 lbs. wide C. S. 18° W.  
 81.00 Intersected the W. boundary 160 lbs. N. of post  
     Set a post Cor. to Sec. 7 & 18, T9 N. R3 E. from which  
     a W. Oak 11 in. dia. bears S89° E 26 lbs. dist. of  
     a Do 7 " " " N81° W 30 " "  
 Land hilly & poor, timber W. Oak & Hickory  
 underg. Dogwood, W. Oak &c.

North Between Sec. 7 & 8, T9 N. R3 E.  
 20.30 a W. Oak 16 in. dia.  
 40.00 Set the gr. Sec. post, from which  
     a W. Oak 13 in. dia. bears S40° E 14 lbs. dist. of  
     a Do 14 " " " N82° W 24 " "  
 46.50 a W. Oak 12 " "  
 73.00 a Brook 6 lbs. wide C. S. N45° W  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which  
     a W. Oak 18 in. dia. bears S78° E 31 lbs. dist. of  
     a Sugar 10 " " " S78° W 29 " "  
 Land hilly & poor, timber W. Oak & Hickory.

T9 N. R3 E. 2<sup>d</sup>. Mer. Indianaunderg<sup>th</sup> W. Oak, Dogwood & Ironwood

---

East On Randm. between Secs. 5 & 8, T9 N. R3 E.

4.10 a Brook 6 lks. wide C.S. S10 W

40.00 Set tempf. g. Sec. post

79.40 a Brook 6 lks. wide C.S. S5 E.

80.16 Intersected the N & S. line at the post  
Land hilly & poor, timber W. B & H. Oak & Hick.  
underg<sup>th</sup> W. Oak & Dogwood

---

West Corrupted between Secs. 5 & 8, T9 N. R3 E.40.08 Set g. Sec. post at average, dist. from which  
a W. Oak 14 in. dia. bears S19 E. 24 lks. dist. &  
a do 12 " " " N10 W17 " "

80.16 to Sec. Corner.

---

West Between Secs. 6 & 7, T9 N. R3 E

13.80 a W. Oak 18 in. dia.

33.50 a Brook 8 lks. wide C.S. S20 E.

40.00 Set the g. Sec. post, from which  
a W. Oak 13 in. dia. bears N85 W38 lks. dist. &  
a W. Oak 24 " " " N86 E39 " "

63.00 a W. Oak 24 " "

78.50 Intersected the W. boundary 157 lks. N. of  
the post. Set a post Cor. to Sec. 6 & 7, from which  
a W. Oak 10 in. dia. bears N77 E26 lks. dist. &  
a do 6 " " " S42 W19 " "  
Land very hilly poor & thicketz, timber W.  
C & W. Oak & Hick., underg<sup>th</sup> W. Oak, Hick & Dog.

---

North Between Secs. 5 & 6, T9 N. R3 E.

22.50 a W. Oak 12 in. dia.

40.00 Set the g. Sec. post, from which

T9N R3E. 2<sup>d</sup> Mer. Indiana

a W. Oak 12 in. dia. bears S13 E 60 lks. dist. of  
 a Poplar 15 " " " S128 E 7 " "

62.10 a Chest. Oak 12 in. dia.

66.20 Intersected the N. boundary 4.26 lks. E. of post

Set a post Cor. to Sec. 5 & 6, from which

a C. Oak 17 in. dia. bears S78 W 56 lks. dist. of

a Beech 14 " " " N84 E 50 " "

Land hilly & poor, timber W. Oak & Hickory  
 among Dogwood, W. Oak &c.

Surveyed by James Hedges, M. S.

---

Comp.

I Certify that the foregoing transcript of field notes of Township  
 N: 9 N. Range N: 3 East, T: Mer. Indiana, has been Comp.  
 with the original notes in this office & found to be correct.

Surveyor General's Office  
 Cincinnati, May 12<sup>th</sup> 1843

E. S. Haines  
 Sur. Genl.